

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO | |
|---|-------------|----------------------|-------------------------|-----------------|--|
| 09/779,803 | 02/08/2001 | Moinul I. Syed | A0312/7378 (RMA) | 5583 | |
| 7590 07/31/2006 | | | EXAM | INER | |
| William R. McClellan c/o Wolf, Greenfield & Sacks, P.C. | | | LI, ZHUO H | | |
| Federal Reserve | | ART UNIT | PAPER NUMBER | | |
| 600 Atlantic Av | enue | 2185 | | | |
| Boston, MA 02210-2211 | | | DATE MAILED: 07/31/2006 | | |

Please find below and/or attached an Office communication concerning this application or proceeding.

| | | Applica | ation No. | Applicant(s) | Applicant(s) | | | |
|---|---|---|--|--|--------------|--|--|--|
| Office Action Commence | | | ,803 | SYED ET AL. | | | | |
| Office Action Summary | | Examii | ner | Art Unit | | | | |
| | | Zhuo H | | 2185 | | | | |
| Period fo | The MAILING DATE of this communic or Reply | cation appears on | the cover sheet | t with the correspondence ac | dress | | | |
| WHIC - Exte after - If NC - Failu Any | ORTENED STATUTORY PERIOD FO CHEVER IS LONGER, FROM THE MA nsions of time may be available under the provisions of SIX (6) MONTHS from the mailing date of this commu- period for reply is specified above, the maximum state or to reply within the set or extended period for reply we reply received by the Office later than three months affed patent term adjustment. See 37 CFR 1.704(b). | AILING DATE OF f 37 CFR 1.136(a). In no inication. utory period will apply an rill, by statute, cause the | THIS COMMU event, however, may d will expire SIX (6) N application to become | NICATION. y a reply be timely filed MONTHS from the mailing date of this of a BANDONED (35 U.S.C. § 133). | | | | |
| Status | | | | | | | | |
| 1) ズ | Responsive to communication(s) filed | l on <i>19 May 2006</i> | | | | | | |
| 2a)□ | This action is FINAL . 2b)⊠ This action is non-final. | | | | | | | |
| 3) | , — | | | | | | | |
| -,- | closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. | | | | | | | |
| Disposit | on of Claims | · | · | | | | | |
| 4)⊠ | 4)⊠ Claim(s) <u>1-45</u> is/are pending in the application. | | | | | | | |
| • | 4a) Of the above claim(s) <u>2,3,7-29,31,34,35,37,38,40 and 42-45</u> is/are withdrawn from consideration. | | | | | | | |
| | Claim(s) is/are allowed. | | | | | | | |
| | Claim(s) is/are allowed. Claim(s) <u>1, 4-6, 30, 32-33, 36, 39 and 41</u> is/are rejected. | | | | | | | |
| | Claim(s) <u>1, 4-0, 30, 32-33, 30, 39 and 41</u> is/are rejected. Claim(s) is/are objected to. | | | | | | | |
| · | Claim(s) are subject to restrict | ion and/or election | n requirement. | | | | | |
| • | on Papers | | , | | | | | |
| | · | Francisco | | | | | | |
| · | The specification is objected to by the | | h)□ objected | to by the Everniner | | | | |
| 10) | 10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). | | | | | | | |
| | * | | • | • | ED 4 404/d\ | | | |
| 11) | Replacement drawing sheet(s) including to The oath or declaration is objected to | | | = : : | | | | |
| | inder 35 U.S.C. § 119 | by the Examiner. | Note the attack | led Office Action of form 1 | 10-102. | | | |
| | • | | | | | | | |
| | 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). | | | | | | | |
| a) | ☐ All b)☐ Some * c)☐ None of: | | | | | | | |
| | 1. Certified copies of the priority documents have been received. | | | | | | | |
| | 2. Certified copies of the priority of | | | · · · | | | | |
| | 3. Copies of the certified copies o | • • | | en received in this National | Stage | | | |
| | application from the Internation | • | ` '' | | | | | |
| * 5 | See the attached detailed Office action | for a list of the ce | ertified copies r | ot received. | | | | |
| | | | | | | | | |
| Attachmen | t(s) | | | | | | | |
| 1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413) Paper No(s)/Mail Date | | | | | | | | |
| | e of Draftsperson's Patent Drawing Review (PT nation Disclosure Statement(s) (PTO-1449 or F | | of Informal Patent Application (PTO-152) | | | | | |
| Paper No(s)/Mail Date 6) Other: | | | | | | | | |
| | | | | | | | | |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on May 19, 2006 has been entered.

Response to Amendment

2. This Office action is in responds to the amendment filed on May 19, 2006, claims 2-3, 7-29, 31, 34-35, 37-38, 40, and 42-45 are canceled, claims 1, 4-6, 30, 32-33, 36, 39 and 41 are pending in the application.

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any

evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Page 3

4. Claims 1, 6, 30, 36, 39 and 41 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sakai (US PAT. 6,131,143) in view of Ebner et al. (US PAT. 6,928,525 hereinafter Ebner).

Regarding claim 1, Sakai discloses a multi-way storage type cache memory system comprising an associative cache including a plurality of tag memory locations (2 and 3a...3n, figure 1) for storing addresses and a plurality of data memory locations (5a-5n, figure 1) for storing data, the memory locations being organized as two or more ways (col. 4 lines 29-36) and each address (10, figure 1) presented to the associative cache being compared with the addresses stored in the tag memory locations in each of the two or more ways (col. 4 line 52 through col. 5 line 15) and wherein at least one controller (9, figure 1) that enables a first device (6, figure 1) to access a data memory location in a first way selected from the two or more ways and enables a second device (7a-7n, figure 1) to access a second way selected from the two or more ways (col. 5 lines 50-63), and the first and second way can be access concurrently by the first and second devices, respectively (col. 6 lines 19-32). Sakai differs from the claimed invention in not specifically teaching at least one controller that enables the first device accessing a data memory location in the first way and the second device being block from the accessing the first way during access by the first device, and the second device accessing a location in the second way and the first device being blocked from accessing the second way during access by the second

Art Unit: 2185

device, and the data memory locations in the first and second ways can be accessed concurrently by the first and second devices, respectively. Ebner, in the analogous art, teaches a cache arbiter (101, figure 1) functioning as at least one controller that enables a first device (102, figure 1) accessing a data memory location in a first way (i.e., access a particular cache line) and a second device (104, figure 1) being blocked from access the first way during access by the first device (i.e., access to the same particular cache line), and the second device accessing a data memory location in the second way (i.e., another particular cache line) and the first device being blocked from accessing the second way during access by the second device (col. 5, lines 1-25, i.e., the cache arbitrator selects one requestor among the requestors seeking the same cache line), and the data memory locations in the first and second ways can be accessed concurrently by the first and second device (col. 4 lines 37-46) in order to permit multiple concurrent access to cache lines, thereby making more efficient and faster in processing multiple cache access requests. Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify Sakai in having at least one controller that enables the first device accessing a data memory location in the first way and the second device being block from the accessing the first way during access by the first device, and the second device accessing a location in the second way and the first device being blocked from accessing the second way during access by the second device, and the data memory locations in the first and second ways can be accessed concurrently by the first and second devices, respectively, as per teaching of Ebner, in order to permit multiple concurrent access to cache lines, thereby making more efficient and faster in processing multiple cache access requests.

Regarding claim 6, Sakai discloses a multi-way storage type cache memory system comprising an associative cache including a plurality of tag memory locations (2 and 3a...3n. figure 1) for storing addresses and a plurality of memory locations (5a-5n, figure 1) to store data. the memory locations being organized as two or more ways (col. 4 lines 29-36) and each address (10, figure 1) presented to the associative cache being compared with the addresses stored in the tag memory locations in each of the two or more ways (col. 4 line 52 through col. 5 line 15) and a plurality of cache outputs for providing data retrieved from the memory locations (output lines from 5a-5n, figure 1), a first multiplexer (6, figure 1) and a second multiplexer (7a-7n, figure 1) having multiplexer inputs coupled to at least some of the memory locations and multiplexer outputs coupled to the plurality of cache outputs via a way selector (9, figure 1) so as to enable the first multiplexer (6, figure 1) to select data from a first way selected from the two or more ways and a second multiplexer (7a-7n, figure 1) to select data from a second way selected from the two or more ways (col. 5 lines 50-63), and the selected data from the first and second ways being provided concurrently on respective ones of the plurality of cache output (col. 6 lines 19-32). Sakai differs from the claimed invention in not specifically teaching at least one controller that enables the first device accessing a data memory location in the first way and the second device being block from the accessing the first way during access by the first device, and the second device accessing a location in the second way and the first device being blocked from accessing the second way during access by the second device, and the data memory locations in the first and second ways can be accessed concurrently by the first and second devices, respectively. Ebner, in the analogous art, teaches a cache arbiter (101, figure 1) functioning as at least one controller that enables a first device (102, figure 1) accessing a data memory location in

Page 5

Art Unit: 2185

a first way (i.e., access a particular cache line) and a second device (104, figure 1) being blocked from access the first way during access by the first device (i.e., access to the same particular cache line), and the second device accessing a data memory location in the second way (i.e., another particular cache line) and the first device being blocked from accessing the second way during access by the second device (col. 5, lines 1-25, i.e., the cache arbitrator selects one requestor among the requestors seeking the same cache line), and the data memory locations in the first and second ways can be accessed concurrently by the first and second device (col. 4 lines 37-46) in order to permit multiple concurrent access to cache lines, thereby making more efficient and faster in processing multiple cache access requests. Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify Sakai in having at least one controller that enables the first device accessing a data memory location in the first way and the second device being block from the accessing the first way during access by the first device, and the second device accessing a location in the second way and the first device being blocked from accessing the second way during access by the second device, and the data memory locations in the first and second ways can be accessed concurrently by the first and second devices, respectively, as per teaching of Ebner, in order to permit multiple concurrent access to cache lines, thereby making more efficient and faster in processing multiple cache access requests.

Regarding claim 30, the limitations of the claim are rejected as the same reasons as set forth in claim 1.

Regarding claim 36, the limitations of the claim are rejected as the same reasons as set forth in claim 6.

Regarding claim 39, Sakai teaches at least one of the multiplexers (6 and 7a-7n, figure 1) to select one of the first and second addresses as its output while concurrently controlling another multiplexers to select the other of the first and second address as its output (col. 6 lines 20-32), as well as Ebner (col. 4 lines 37-46).

Regarding claim 41, the limitations of the claim are rejected as the same reasons as set forth in claim 1.

5. Claims 4-5 and 32-33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sakai (US PAT. 6,131,143) in view of Ebner et al. (US PAT. 6,928,525 hereinafter Ebner) as applied to claims above, and further in view of Liao et al. (US PAT. 6,857,061 hereinafter Liao).

Regarding claims 4-5, the combination of Sakai and Ebner teaches the first device comprising a processor (410, figure 5) configured and arranged to access the memory locations (fir example see Ebner, col. 4 lines 18-26). The combination of Sakai and Hanawa differs from the claimed invention in not specifically teaching the second device including a data transfer engine configured arranged to transfer data between the memory locations and a lower level memory, wherein the data transfer engine comprises a DMA controller. However, Liao, in the analogous art, teaches a microprocessor (10, figure 3) comprising a BIU/DMA (40, figure 3), read as a data transfer engine, configured and arranged to transfer data between the memory locations, i.e., cache line in L2 (36, figure 3) and a lower level memory (12, figure 3) in order to improve instruction format which may be used in connection with any suitable type of data processor, from microprocessor to supercomputers with a vector processing unit, thereby improving the operational efficiency (see Liao col. 4 lines 33-37). Therefore, it would have been

Art Unit: 2185

obvious to a person of ordinary skill in the art at the time the invention was made to modify the combination of Sakai and Ebner including a data transfer engine configured arranged to transfer data between the memory locations and a lower level memory, wherein the data transfer engine comprises a DMA controller, as per teaching of Liao, in order to improve the operational efficiency.

Regarding claims 32-33, the limitations of the claims are rejected as the same reasons as set forth in claims 4-5.

Response to Arguments

6. Applicant's arguments with respect to claims 1, 4-6, 30, 32-33, 36-39 and 41 have been considered but are most in view of the new ground(s) of rejection.

Conclusion

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Zhuo H. Li whose telephone number is (571) 272-4183. The examiner can normally be reached on Tue-Fri 7:30 AM-5:00 PM, and alternate Monday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew Kim can be reached on (571) 272-4182. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 09/779,803

Art Unit: 2185

8. Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Zhuo H. Li
Patent Examiner

Page 9

Art Unit 2185

MATTHEW KIM SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2100